



Prof. Dr. Andreas Podelski  
Christian Schilling

## Tutorial for Cyber-Physical Systems - Hybrid Models Exercise Sheet 5

### Exercise 1: Postcondition

We say that  $post$  distributes over the connective  $\odot$  wrt. the first argument if the following equation holds.

$$post(\varphi_1 \odot \varphi_2, \rho) = post(\varphi_1, \rho) \odot post(\varphi_2, \rho)$$

We say that  $post$  distributes over the connective  $\odot$  wrt. the second argument if the following equation holds.

$$post(\varphi, \rho_1 \odot \rho_2) = post(\varphi, \rho_1) \odot post(\varphi, \rho_2)$$

Determine for  $\odot \in \{\wedge, \vee, \rightarrow\}$  if  $post$  distributes over  $\odot$  wrt. the first argument or wrt. the second argument.

Give a proof for each positive answer, give a counterexample for each negative answer.

### Exercise 2: Reachability

Consider the following integer program with input variables  $i$  and  $j$ .

```
l0 : x := i;  
l1 : y := j;  
l2 : while x ≠ 0 do {  
l3 :   x := x - 1;  
l4 :   y := y - 1;  
    }  
l6 : assert(i = j → y = 0);
```

(a) Compute the set of reachable states  $\varphi_{reach}$ .

*Hint:* If you only apply the  $post$  operator, your algorithm will not terminate. You need to find a relation between all variables which is true before and after each loop iteration (a loop invariant). Then use this to “jump over the loop”.

(b) Is the program safe?