



J. Hoenicke  
J. Christ

25.01.2012

Hand in solutions via email to  
`christj@informatik.uni-freiburg.de`  
until 01.02.2012 (only Java sources, KeY  
proofs, and PDFs accepted).  
Paper submissions possible after the lecture.

## Tutorials for “Formal methods for Java” Exercise sheet 11

### Exercise 1: Jahob Integrated Proof Language

Consider the following class<sup>1</sup>

```
class Ex11 {
  /*:
    public ghost specvar P :: "obj => bool";
    public ghost specvar Q :: "obj => bool";
  */

  public static void test()
  /*:
    requires "ALL x. P x --> Q x"
    ensures "ALL u v. P u & v=u --> Q v"
  */
  {
    {
      /*: pickAny u::obj, v::obj suchThat cond: "P u & v=u";
      /*: noteThat p1: "P v" from cond;
      /*: noteThat p2: "Q v" from Precondition forSuch u, v;
    }
  }
}
```


- Which formula does this class try to prove?
- Explain why the proof does not succeed.
- Fix the proof.

---

<sup>1</sup>This is a slightly modified version of a test class that comes with the Jahob distribution

### Exercise 2: Graph Search

Consider the following graph and heuristic function.



$$heuristic(v) = \begin{cases} 4 & \text{if } v = q_0 \\ 1 & \text{if } v = q_1 \\ 3 & \text{if } v = q_2 \\ 1 & \text{if } v = q_3 \\ 1 & \text{if } v = q_4 \\ 2 & \text{if } v = q_5 \\ 1 & \text{if } v = q_6 \\ 0 & \text{if } v = q_7 \\ 0 & \text{if } v = q_8 \end{cases}$$

- (a) For each search technique covered in the lecture (DFS, BFS, Greedy, and A\*) give the order in which the nodes are closed. If multiple decisions are possible at a step, choose one and make this choice explicit (i.e., state the choice you made).
- (b) Is the heuristic admissible if node  $q_8$  is the goal state? Justify your claim.

### Exercise 3: JVM Instructions

The Java Virtual Machine has a lot of instructions, but no instruction to branch on doubles. Explain how such a branch can be realized with the available instructions.