

Real-Time Systems

Lecture 02: Timed Behaviour

2013-04-17

Dr. Bernd Westphal

Albert-Ludwigs-Universität Freiburg, Germany

- 02 - 2013-04-17 - main -

Contents & Goals

Last Lecture:


- Motivation, Overview

This Lecture:

- **Educational Objectives:**
 - Get acquainted with one (simple but powerful) formal model of timed behaviour.
 - See how first order predicate-logic can be used to state requirements.
- **Content:**
 - Time-dependent State Variables
 - Requirements and System Properties in first order predicate logic
 - Classes of Timed Properties

- 02 - 2013-04-17 - Prelim -

Recall: Prerequisites



To

design a (gas burner) controller that meets its requirements

we need

- a formal model of behaviour in (quantitative) time
- a language to concisely conveniently specify requirements on timed behaviour
- a language to specify behaviours of controllers of controllers,
- a notion of "meet" and a methodology to verify (prove) meeting

Real-Time Behaviour, More Formally...


State Variables (or Observables)

- We assume that the real-time systems we consider is characterised by a finite set of **state variables** (or **observables**)

$$obs_1, \dots, obs_n$$

each equipped with a **domain** $\mathcal{D}(obs_i)$, $1 \leq i \leq n$.

- Example:** gas burner



- "gas valve open/closed" G , $\mathcal{D}(G) = \{0,1\}$, 0 iff valve closed
- "flame yes/no" F , $\mathcal{D}(F) = \{0,1\}$, 0 iff no flame
- "ignition going on yes/no" I , $\mathcal{D}(I) = \{0,1\}$, 0 iff no ignition
- "heating need yes/no" H , $\mathcal{D}(H) = \{0,1\}$, 0 iff no need

System Evolution over Time

- One** possible evolution (or **behaviour**) of the considered system over time is represented as a function

$$\pi : \text{Time} \rightarrow \mathcal{D}(obs_1) \times \dots \times \mathcal{D}(obs_n).$$

- If (and only if) observable obs_i has value $d_i \in \mathcal{D}(obs_i)$ at time $t \in \text{Time}$, $1 \leq i \leq n$, we set

$$\pi(t) = (d_1, \dots, d_n).$$

- For convenience, we use

$$obs_i : \text{Time} \rightarrow \mathcal{D}(obs_i)$$

to denote the projection of π onto the i -th component.

What's the time?

- There are two main choices for the time domain Time:
 - **discrete time:** Time = \mathbb{N}_0 , the set of natural numbers.
 - **continuous or dense time:** Time = \mathbb{R}_0^+ , the set of non-negative real numbers.
- Throughout the lecture we shall use the **continuous** time model and consider **discrete** time as a special case.


Because

 - plant models usually live in **continuous** time,
 - we avoid too early introduction of hardware considerations,
- Interesting view: continuous-time is a well-suited **abstraction** from the discrete-time realms induced by clock-cycles etc.


-02-2013-04-17 - Smodel -

7/31

Example: Gas Burner






One possible evolution of considered system over time is represented as function
 $\pi : \text{Time} \rightarrow \mathcal{D}(\text{obs}_1) \times \dots \times \mathcal{D}(\text{obs}_n)$.
 If (and only if) observable obs_i has value $d_i \in \mathcal{D}(\text{obs}_i)$ at time $t \in \text{Time}$, set:
 $\pi(t) = (d_1, \dots, d_n)$.
 For convenience: use $\text{obs}_i : \text{Time} \rightarrow \mathcal{D}(\text{obs}_i)$.



-02-2013-04-17 - Smodel -

8/31

Example: Gas Burner



-02-2013-04-17 - Simodel -

9/31

Levels of Detail

- Note:
Depending on the **choice of observables** we can describe a real-time system at various levels of detail.

For instance,

- if the gas valve has different positions, use

$$\mathcal{D}(G) = \{0, 1, 2, 3\}$$

$$G : \text{Time} \rightarrow \{0, 1, 2, 3\}$$

$$\mathcal{D}(G) = \{(0,0), (1,0), (0,1), (1,1)\}$$

(But: $\mathcal{D}(G)$ is never continuous in the lecture, otherwise we had a hybrid system.)

- if the thermostat and the controller are connected via a bus and exchange messages, use

$$B : \text{Time} \rightarrow \text{Msg}^*$$

finite sequences of elements from Msg

to model the receive buffer as a finite sequence of messages from Msg .

- etc.

-02-2013-04-17 - Simodel -

10/31

System Properties

Predicate Logic

$\varphi ::= \text{obs}(t) = d \mid \neg \varphi \mid \varphi_1 \vee \varphi_2 \mid \varphi_1 \wedge \varphi_2 \mid \varphi_1 \implies \varphi_2 \mid \varphi_1 \iff \varphi_2$
 $\mid \forall t \in \text{Time} \bullet \varphi \mid \forall t \in [t_1 + c_1, t_2 + c_2] \bullet \varphi$

an observable (points to $\text{obs}(t)$)
a logical variable from Var (points to t)
 $d \in \mathcal{D}(\text{obs})$
 $t \in \text{Var}$
 $c_1, c_2 \in \mathbb{Z}$, constants

obs an observable, $d \in \mathcal{D}(\text{obs})$, $t \in \text{Var}$ logical variable, $c_1, c_2 \in \mathbb{R}_0^+$ constants.

Example:

$$\forall t \in \text{Time} \bullet \neg G(t) \implies \neg F(t)$$

$$\forall t \in \text{Time} \bullet H(t) \implies \exists t' \in [t, t + 100] \bullet \cancel{F(t')} \wedge I(t')$$

$t, +0$ $t_2 + 100$

we can't control the flame so if this a requirement on the controller, we use I

Predicate Logic

choice A: $Var = \{x, y, z\}$
 choice B: $Var = \{a, b, c, \dots\}$
 choice C: $Var = \{p, q, r, s\}$

$$\varphi ::= obs(t) = d \mid \neg\varphi \mid \varphi_1 \vee \varphi_2 \mid \varphi_1 \wedge \varphi_2 \mid \varphi_1 \implies \varphi_2 \mid \varphi_1 \iff \varphi_2$$

$$\mid \forall t \in Time \bullet \varphi \mid \forall t \in [t_1 + c_1, t_2 + c_2] \bullet \varphi$$

obs an observable, $d \in \mathcal{D}(obs)$, $t \in Var$ logical variable, $c_1, c_2 \in \mathbb{R}_0^+$ constants.

We assume the **standard semantics** interpreted over system evolutions

$$obs_i : Time \rightarrow \mathcal{D}(obs), 1 \leq i \leq n.$$

That is, given a particular system evolution π and a formula φ , we can tell whether π satisfies φ under a given valuation β , denoted by $\pi, \beta \models \varphi$.

Recall: Predicate Logic, Standard Semantics $\beta: \{x, y, z\} \rightarrow \{0, 1\}$

Evolution of system over time:	$\pi : Time \rightarrow \mathcal{D}(obs_1) \times \dots \times \mathcal{D}(obs_n).$
Iff obs_i has value $d_i \in \mathcal{D}(obs_i)$ at $t \in Time$, set:	$\pi(t) = (d_1, \dots, d_n).$
For convenience: use	$obs_i : Time \rightarrow \mathcal{D}(obs_i).$

$$\varphi ::= obs(t) = d \mid \neg\varphi \mid \varphi_1 \vee \varphi_2 \mid \varphi_1 \wedge \varphi_2 \mid \varphi_1 \implies \varphi_2 \mid \varphi_1 \iff \varphi_2$$

$$\mid \forall t \in Time \bullet \varphi \mid \forall t \in [t_1 + c_1, t_2 + c_2] \bullet \varphi$$

- Let $\beta : Var \rightarrow Time$ be a **valuation** of the logical variables. $\beta: Var \rightarrow Time$
 - $\pi, \beta \models obs_i(t) = d$ iff $obs_i(\beta(t)) = d$. $\beta(t) \in Var, obs_i: Time \rightarrow \mathcal{D}(obs_i)$
 - $\pi, \beta \models \neg\varphi$ iff $\text{not } \pi, \beta \models \varphi$
 - $\pi, \beta \models \varphi_1 \vee \varphi_2$ iff ...
 - ...
 - $\pi, \beta \models \forall t \in Time \bullet \varphi$ iff for all $t_0 \in Time$, $\pi, \beta[t \mapsto t_0] \models \varphi$. $\in \mathbb{R}_0^+$ projection of π onto $obs_i \in Var$
 - $\pi, \beta \models \forall t \in [t_1 + c_1, t_2 + c_2] \bullet \varphi$ iff for all $t_0 \in [\beta(t_1) + c_1, \beta(t_2) + c_2]$, $\pi, \beta[t \mapsto t_0] \models \varphi$. $\in \mathbb{R}_0^+$ modification of β , s.t. t is mapped to t_0 , rest unchanged
- $\pi: X_0 \uparrow \dots \uparrow$
 $\beta = \{t \mapsto 27\}$
 $\pi, \beta \models X(t) = 1$
 because $X(\beta(t)) = X(27) = 1$
 $\pi, \beta' \not\models X(t) = 1$
 if $\beta' = \{t \mapsto 10\}$

Predicate Logic

all logical variables are quantified

Note: we can view a closed predicate logic formula φ as a **concise description** of

$$\{\pi : \text{Time} \rightarrow \mathcal{D}(\text{obs}_1) \times \dots \times \mathcal{D}(\text{obs}_n) \mid \pi, \emptyset \models \varphi\}$$

the set of all system evolutions satisfying φ .

a set of evolutions

For example,

$$\forall t \in \text{Time} \bullet \neg(I(t) \wedge \neg G(t))$$

describes all evolutions where there is no ignition with closed gas valve.



Requirements and System Properties

- So we can use first-order predicate logic to formally specify requirements.

A **requirement** 'Req' is a set of system behaviours with the pragmatics that, whatever the behaviours of the final **implementation** are, they shall lie within this set.

For instance,

defining Req as abbreviation for ()*

$$\text{Req} := \iff \forall t \in \text{Time} \bullet \neg(I(t) \wedge \neg G(t))$$

says: "an implementation is fine as long as it doesn't ignite without gas in any of its evolutions".

- We can also use first-order predicate logic to formally describe properties of the **implementation** or **design decisions**.

For instance,

$$\text{Des} := \iff \forall t \in \text{Time} \bullet I(t) \implies \forall t' \in [t-1, t+1] \bullet G(t')$$

says that our controller opens the gas valve at least 1 time unit before ignition and keeps it open.

Correctness

- Let 'Req' be a **requirement**,
- 'Des' be a **design**, and
- 'Impl' be an **implementation**.

Recall: each is a set of evolutions, i.e. a subset of $(\text{Time} \rightarrow \times_{i=1}^n \mathcal{D}(\text{obs}_i))$,
described in any form.

We say

- 'Des' is a **correct design** (wrt. 'Req') if and only if

$$\text{Des} \subseteq \text{Req}.$$

- 'Impl' is a **correct implementation** (wrt. 'Des' (or 'Req')) if and only if

$$\text{Impl} \subseteq \text{Des} \quad (\text{or } \text{Impl} \subseteq \text{Req})$$

If 'Req' and 'Des' are described by formulae of first-order predicate logic,
proving the design correct amounts to proving that 'Des \implies Req' is valid.

16/31

Classes of Timed Properties

Safety Properties

- A **safety property** states that **something bad must never happen** [Lamport].
- Example: train inside level crossing with gates open.
- More general, assume observable $C : \text{Time} \rightarrow \{0, 1\}$ where $C(t) = 1$ represents a critical system state at time t .

Then

$$\forall t \in \text{Time} \bullet \neg C(t)$$

is a safety property.

- In general, a safety property is characterised as a property that can be **falsified** in bounded time.
- But safety is not everything...

Liveness Properties

- The simplest form of a **liveness property** states that **something good eventually does happen**.
- Example: gates open for road traffic.
- More general, assume observable $G : \text{Time} \rightarrow \{0, 1\}$ where $G(t) = 1$ represents a good system state at time t .

Then

$$\exists t \in \text{Time} \bullet G(t)$$

is a liveness property.

- Note: not falsified in finite time.
- With real-time, liveness is too weak...

Bounded Response Properties

- A **bounded response property** states that the desired reaction on an input occurs in time interval $[b, e]$.
- Example: from request to secure level crossing to gates closed.
- More general, re-consider good thing $G : \text{Time} \rightarrow \{0, 1\}$ and request $R : \text{Time} \rightarrow \{0, 1\}$.

Then

$$\forall t_1 \in \text{Time} \bullet (R(t_1) \implies \exists t_2 \in [t_1 + 10, t_1 + 15] \bullet G(t_2))$$

is a bounded liveness property.

- This property can again be falsified in finite time.
- With gas burners, this is still not everything...

Duration Properties

- A **duration property** states that for observation interval $[b, e]$ characterised by a condition $A(b, e)$ the **accumulated time** in which the system is in a certain critical state has an upper bound $u(b, e)$.
- Example: leakage in gas burner.
- More general, re-consider critical thing $C : \text{Time} \rightarrow \{0, 1\}$.

Then

$$\forall b, e \in \text{Time} \bullet \left(A(b, e) \implies \int_b^e C(t) dt \leq u(b, e) \right)$$

is a duration property.

- This property can again be falsified in finite time.

References

References

[Olderog and Dierks, 2008] Olderog, E.-R. and Dierks, H. (2008). *Real-Time Systems - Formal Specification and Automatic Verification*. Cambridge University Press.