
Real-Time Systems

Lecture 17: Automatic Verification of DC Properties for TA II

2018-01-18

Dr. Bernd Westphal

Albert-Ludwigs-Universität Freiburg, Germany



Introduction

Observables and Evolutions

Observables and Evolutions

Observables and Evolutions

Observables and Evolutions

Observables of Carolina (DO)

Security Complementation

OC Decidability

OC Decidability

OC Explementation

Fich Automated of Complementation

Fich Automated of Complementation

Automated of Complementation of Complementat

Observing Timed Automata

5/29

Content

• A satisfaction relation between timed automata and DC formulae


A simple and wrong solution.
 ad-hoc fix for invariants


observables of timed automata
 evolution induced by computati

Testable DC Properties
 observer construction
 untestable DC properties

 $Observables \ of \ a \ Network \ of \ Timed \ Automatia$ Let N be a network of n extended timed automata $A_{c,i} = (L_{c_i}C_{c_i}B_i, U_{i_i}X_{i_i}V_{i_i}I_{i_i}B_{c_i}I_{mij}), \quad 1 \le i \le n$ For simplicity: assume that all L_i and V_i are pairwise disjoint (otherwise rename). $\{U_i, \dots, U_k\} \cup \bigcup_{1 \le i \le n} V_i$ with $\{Q_i, \dots, Q_k\}$ * D(c) is the domain of data-variable c in A_{c_i,c_i} .

3/20





 $\frac{\mathbb{T}:\mathsf{Obs}\to(\mathsf{T,me}\to\mathfrak{D})}{\bullet}$

Evolutions of TA Network Cont'd

Evolutions of TA Network Cont'd

 $\bar{\xi}$ induces the unique interpretation

which is defined pointwise as follows:

 $\mathcal{I}_{\xi}:\mathsf{Obs}(\mathcal{N})\to(\mathsf{Time}\to\mathcal{D})$

$$\begin{split} &\mathcal{I}_{\xi}(\ell_{t})(t) = \ell^{i} &\quad \text{. if } \bar{\xi}(t) = \langle (\ell^{1}, \dots, \ell^{n}), \nu \rangle \\ &\mathcal{I}_{\xi}(w)(t) = \nu(w) &\quad \text{. if } \bar{\xi}(t) = \langle \bar{\ell}, \nu \rangle \end{split}$$


$ar{\xi}$ induces the unique interpretation

$$\mathcal{I}_{\xi}:\mathsf{Obs}(\mathcal{N}) o (\mathsf{Time} o \mathcal{D})$$

which is defined pointwise as follows:

 $\begin{array}{ll} \mathcal{I}_{\xi}(\ell_{\ell})(t) = \ell^{i} & \text{. if } \bar{\xi}(t) = \langle (\ell^{1}, \dots, \ell^{n}), \nu \rangle \\ \mathcal{I}_{\xi}(w)(t) = \nu(w) & \text{. if } \bar{\xi}(t) = \langle \bar{\ell}, \nu \rangle \end{array}$

 $\xi = \langle \stackrel{off}{0} \rangle, 0 \stackrel{2.5}{\longrightarrow} \langle \stackrel{off}{2.5} \rangle, 2.5 \stackrel{\Rightarrow}{\longrightarrow} \langle \stackrel{light}{0} \rangle, 2.5 \stackrel{\Rightarrow}{\longrightarrow} \langle \stackrel{bright}{bright} \rangle, 2.5 \stackrel{\Rightarrow}{\longrightarrow} \langle \stackrel{off}{0} \rangle, 2.5 \stackrel{1.0}{\longrightarrow} \langle \stackrel{off}{1} \rangle, 3.5 \stackrel{\Rightarrow}{\longrightarrow} \dots$



Evolutions of TA Network

- Consider only those configurations assumed for more than 0 time units. Extend finite computation paths by keeping last discrete configuration.

Definition. Let
$$\xi = \langle \vec{c}_0, t_0 \rangle_{\cdot t_0} \xrightarrow{\lambda_1} \langle \vec{c}_1, n \rangle_{\cdot t_1} \xrightarrow{\lambda_2} \langle \vec{c}_2, n_2 \rangle_{\cdot t_2} \xrightarrow{\lambda_3} \dots$$
 be a computation path of network N (infinite or of length n). Then
$$\xi : \text{Time} \rightarrow Conf(N)$$

$$t \mapsto \langle (\vec{c}_j, \nu_j + t - t_j) \text{ where } j = \max\{i \in \mathbb{N}_0 \mid t_i \leq t\}\}$$
 and $\{i \notin \text{finite} \rangle_{\cdot t_0} (i_n, \nu_n + t - t_n) \text{ for } t > t_n\}$

Recall: $\xi(t)$ used for the query language yielded the set of all configurations at t.

Clocks in Evolutions of TA Networks

- But what about clocks? Why not $x \in \mathrm{Obs}(\mathcal{N})$ for $x \in X_i$?
- ullet We would know how to define $\mathcal{I}_{\xi}(x)(t)$, namely

$$\mathcal{I}_\xi(x)(t) = \nu_{\xi(t)}(x) + (t-t_{\xi(t)})$$



Clocks in Evolutions of TA Networks

- But what about clocks? Why not $x \in \mathsf{Obs}(\mathcal{N})$ for $x \in X_i$?
- ullet We would know how to define $\mathcal{I}_{\xi}(x)(t)$, namely

$$I_{\xi}(x)(t) = \nu_{\xi(t)}(x) + (t - t_{\xi(t)}).$$

• But... $\mathcal{I}_{\xi}(x)(t)$ changes too often.

 $\bullet \ \ \, \text{add (a finite subset of)} \ \, \Phi(X_1 \cup \cdots \cup X_n) \ \, \text{to Obs}(N),$ with $\mathcal{D}(\varphi) = \{0,1\}$ for $\varphi \in \Phi(X_1 \cup \cdots \cup X_n).$

 $\mathcal{I}_{\xi}(\varphi)(t) = \begin{cases} 1, \text{if } \nu(x) \models \varphi, \bar{\xi}(t) = \langle \vec{\ell}, \nu \rangle \\ 0, \text{otherwise} \end{cases}$

• set

The truth value of constraint φ may persist over non-point intervals.

Some Checkable Properties

Model-Checking Invariants with Uppaal

Model-Checking DC Properties with Uppaal

"For every complex problem there is an answer that is clear, simple, and wrong."

Can't we directly check $N\models F$ for \bullet $F=\bigcup [\underbrace{\text{off}}_{}]$ and $F=\lnot \lozenge [\text{light}]$ by checking queries

• $\forall \Box \mathcal{L}.off$ and $\exists \Diamond \mathcal{L}.light$?

ullet Ad-hoc fix: measure duration explicitly, transform ${\cal N}$ by

and obtain \mathcal{N}' . φ to z := 0 z := 0

Then check

Well, we have $N \models \forall \Box Loff$ implies $F = \Box [off]$, but not vice versa, $\models \bigotimes \mathsf{X}$ $\in (0,0)$, $0,0 \stackrel{1}{=} 2,0 \stackrel{1}{=} 3,0 \stackrel{$

bright off

 $N' \models \forall \Box (z > 0 \Longrightarrow P)$ $(2 = 0 \lor P)$ $N \models \Box [P].$

Model-Checking DC Properties with Uppaal

For every complex problem there is an answer that is clear, simple, and environg. Can't we directly check $(M \parallel p)$ for $(M \parallel p$

13/29

Content

A satisfaction relation between timed automata and Oc Communication
 observables of timed automata
 sendiction induced by computation path
 A simple and wrong solution.
 A ad-hor fix for invalvants
 Testable DC Properties
 observer contraction
 unrestable DC properties

Testable DC Properties

Theorem 6.4. DC implementables are testable.

Testable DC Formulae

Initialisation:Sequencing:Progress:Synchronisation:

 Bounded Stability:
 Unbounded Stability:
 Bounded initial stability:
 Unbounded initial stability: $\begin{bmatrix} -\pi \end{bmatrix} : \begin{bmatrix} \pi \wedge \varphi \end{bmatrix} \xrightarrow{\leq 0} \pi \vee \pi_1 \vee \dots \vee \pi_n \\ \begin{bmatrix} -\pi \end{bmatrix} : \begin{bmatrix} \pi \wedge \varphi \end{bmatrix} \xrightarrow{\leq 0} \pi \vee \pi_1 \vee \dots \vee \pi_n \\ \end{bmatrix} \begin{bmatrix} \pi \wedge \varphi \end{bmatrix} \xrightarrow{\leq 0} u \begin{bmatrix} \pi \vee \pi_1 \vee \dots \vee \pi_n \end{bmatrix} \begin{bmatrix} \pi \vee \pi_1 \vee \dots \vee \pi_n \end{bmatrix}$ $[\pi] \longrightarrow [\pi \vee \pi_1 \vee \dots \vee \pi_n]$ $[\pi] \xrightarrow{\theta} [-\pi]$ $[\pi \land \varphi] \xrightarrow{\theta} [\neg \pi]$

• For each implementable F, construct \mathcal{A}_F . • Prove that \mathcal{A}_F is a test automaton.

Proof Sketch:

Proof of Theorem 6.4: Preliminaries Note: DC does not refer to communication between TA in the network, but only to data variables and locations.

Example: $\Diamond(\lceil v=0 \rceil; \lceil v=1 \rceil)$

 Recall: transitions of TA are only triggered by syncronisation, not by changes of data-variables. ullet Approach: have auxiliary step action. A~~~*

Technically, replace each location

A: →

Note: the observer will consider data variables after all updates.

Testability

Testability

Definition 6.1. A DC formula F is called testable if an <u>observer</u> (or <u>test automation</u> for <u>monitor</u>) A_F exists such that for all networks $\mathcal{N} = \underbrace{C(A_{V \leftarrow V}, A_n)}$ it holds that

 $N \models_{\mathbf{x}} F \quad \text{iff} \left(\underbrace{C(A'_1, \dots, A'_n, A_p)}_{J} \right) \models_{\mathbf{x}} \forall \Box \neg (A_F, q_{bod})$

Otherwise F is called untestable.

for some A'_i .

Definition 6.1. A DC formula F is called testable if an observer (or test automaton (or monitori)) A_F exists such that for all networks $\mathcal{N}=C(A_1,\dots,A_n)$ it holds that

 $\mathcal{N} \models F \quad \text{iff} \quad \mathcal{C}(\mathcal{A}'_1, \dots, \mathcal{A}'_n, \mathcal{A}_F) \models \forall \Box \neg (\mathcal{A}_F.q_{bad})$

Otherwise F is called untestable.

for some A'_i .


Theorem 6.4. DC implementables are testable.

Proposition 6.3. There exist untestable DC formulae.

17/29

Proof of Theorem 6.4: Sketch

• Example: $\boxed{\pi}$ $\xrightarrow{L\theta}$ $\lceil \neg \pi \rceil = 7$



20/29

Counterexample Formulae

Definition 6.5.

A counterexample formula (CE for short) is a DC formula of the form:

true ; ($\lceil \pi_1 \rceil \land \ell \in I_1$) ; . . . ; ($\lceil \pi_k \rceil \land \ell \in I_k$) ; true

where for $1 \le i \le k$,

π_i are state assertions, $I_{\hat{\imath}}$ are non-empty, and open, half-open, or closed time intervals of the form

• (b,e] or [b,e] with $b,e\in\mathbb{Q}^+_0$. • (b,e) or [b,e) with $b\in\mathbb{Q}^+_0$ and $e\in\mathbb{Q}^+_0\cup\{\infty\}$.

 (b,∞) and $[b,\infty)$ denote unbounded sets.

Let F be a DC formula. A DC formula F_{CE} is called counterexample formula for F if $\models F \iff \neg(F_{CE})$ holds.

Theorem 6.7. CE formulae are testable

21/29

Untestable DC Formulae "Whenever we observe a change from A to $\neg A$ at time t_A , the system has to produce a change from B to $\neg B$ at some time $t_B \in [t_A, t_A + 1]$ and a change from C to $\neg C$ at time $t_B + 1$." assumption { A ---42 Constaint Diagram

Sketch of Proof: Assume there (A_F) uch that, for all networks \mathcal{N} , we have

 $\mathcal{N} \models F \quad \text{iff} \quad \mathcal{C}(\mathcal{A}'_1, \dots, \mathcal{A}'_n, \mathcal{A}_F) \models \forall \Box \neg (\mathcal{A}_F.q_{bad})$

Assume the number of clocks in \mathcal{A}_F is $n\in\mathbb{N}_0$.

Untestable DC Formulae Cont'd Example: n=31 t_B^1 t_B^2 t_B^2 t_B^4 $2t_C^4$ t_C^2 t_C^2 t_C^4 3 Time

Untestable DC Formulae Cont'd

Consider the following time points:

 $\begin{array}{l} * \ t_B := t_A + \frac{2(k+1)}{2(k+1)} \ \text{for} \ i = 1, \dots, n+1 \\ * \ t_C \in \left] t_B' + 1 - \frac{1}{2(n+1)} t_B' + 1 + \frac{1}{4(n+1)} \left[\ \text{for} \ i = 1, \dots, n+1 \right. \\ \text{with} \ t_C' - t_B' \neq 1 \ \text{for} \ 1 \leq i \leq n+1. \end{array}$

Example: n=3

- \bullet The shown interpretation $\mathcal I$ satisfies the assumption of the property.
- It has n+1 candidates to satisfy the commitment. By choice of t_C^i , the commitment is not satisfied, so F is not satisfied.
- Because A_F is a test automaton for F, is has a computation path to q_{bod}.

1 t_B^1 t_B^2 t_B^3 t_B^4 $2t_C^1$

23/29

• Because n=3, \mathcal{A}_F can not save all n+1 time points t_B^i .
• Thus there is $1\leq t_0\leq n$ such that all clocks of \mathcal{A}_F have a valuation which is not in $2-t_B^{ig}+(-\frac{1}{4(n+1)},\frac{1}{4(n+1)})$


24/29

Untestable DC Formulae Cont'd

Consider the following time points:

- $$\begin{split} & \quad \quad \boldsymbol{t}_{A} := 1 \\ & \quad \boldsymbol{\epsilon}_{B}^{\prime} := t_{A} + \frac{2i-1}{2(n+1)} \text{ for } i = 1, \dots, n+1 \\ & \quad \boldsymbol{\epsilon}_{C}^{\prime} \in [f_{B}^{\prime} + 1 \frac{2(n+1)}{2(n+1)}, f_{B}^{\prime} + 1 + \frac{1}{4(n+1)} [\text{ for } i = 1, \dots, n+1 \\ & \quad \text{ with } t_{C}^{\prime} t_{B}^{\prime} \neq 1 \text{ for } 1 \leq i \leq n+1. \end{split}$$


Example: n = 3



23/29

Untestable DC Formulae Cont'd





- * Because A_F is a test automaton for F, is has a computation path to q_{bot} . * Thus there is $1 \leq i_0 \leq n$ such that all clocks of A_F have a valuation which is not in $2 I_B^i + (-\frac{1}{4(n+1)}, \frac{1}{4(n+1)})$.

- Modify the computation to \(\mathcal{I}'\) such that \(t_0^{(0)} := t_0^{(0)} + 1. \)
 Then \(\mathcal{I}' \) |= \(F_\) but \(A_F\) reaches \(q_{total}\) via the same path.
 That is, \(A_F\) claims \(\mathcal{I}' \) |\(F_\).
 Thus \(A_F\) is not a test automaton. Contradiction.

Content

A simple and wrong solution.
 A ad-hoc fix for invariants
 Testable DC Properties
 observer construction
 unitestable DC properties

26/29

Tell Them What You've Told Them...

For testable DC formulae F, we can automatically verify whether a network. / satisfies F.
 by constructing an <u>observer automator</u>
 and transforming. A proportiety.

There are untestable DC formulae.

(Everything else would be supprising.)

27/29

References

29/29

References
Obbrag E.-R and Dieks, H. (2008). Real-Time Systems - Formal Specification and Automatic Verification.
Cambridge University Press.

28/29